| U.S. Department |
|-------------------|
| of Transportation |
| Federal Aviation |
| Administration |

Operations Specifications

Table of Contents

Part A

| | HQ CONTROL DATE | EFFECTIVE DATE | AMENDMENT NUMBER |
|---|--------------------|-------------------|---------------------|
| 001 Issuance and Applicability | 05/10/2024 | 08/21/2025 | 11 |
| 002 Definitions and Abbreviations | 12/14/2017 | 08/21/2025 | 6 |
| 003 Ratings and Limitations | 04/03/2017 | 10/11/2024 | 9 |
| 004 Summary of Special Authorizations and Limitations | 09/23/1998 | 08/21/2025 | 4 |
| 004 Summary of Special Authorizations and Limitations | 09/23/1998 | 02/16/2016 | 3 |
| 007 Designated Persons | 09/08/2021 | 08/21/2025 | 6 |
| 440 Drug and Alcohol Testing Program | 08/30/2021 | 03/14/2024 | 4 |

Operations Specifications

A001. Issuance and Applicability

HQ Control: 05/10/2024 HQ Revision: 05g

a. These operations specifications are issued to Tennessee Aircraft Company, Inc., a Repair Station located in the United States, pursuant to 14 CFR Part 145, § 145.53(a). The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location: 5005 Market Place Mt. juliet, Tennessee 37122

- b. The holder of these operations specifications is the holder of certificate number QTFR573L and shall hereafter be referred to as the "certificate holder".
- c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the certificate for a repair station that is located in the United States is surrendered, suspended, or revoked.
- d. The repair station specified on these operations specifications performs maintenance and/or an alteration of aircraft and/or aeronautical products under a Bilateral Aviation Safety Agreement (BASA).
- e. The certificate holder is authorized to use only the business name which appears on the certificate to conduct the operations described in subparagraph a.

| N/A | |
|-----|--|
| | |

Tennessee Aircraft Company, Inc.

A001-1 Amdt. No: 11

Operations Specifications

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Griswold, Jon, Principal Maintenance Inspector (CE19)

[1] SUPPORT INFO: OpSpec Templet update

[2] EFFECTIVE DATE: 8/21/2025,

[3] AMENDMENT #: 11

DATE: 2025.08.21 08:27:11 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Curt Ramon, General Manager

8.21-25

Date

Tennessee Aircraft Company, Inc.

A001-2 Amdt. No: 11

Operations Specifications

A002. Definitions and Abbreviations

HQ Control: 12/14/2017

HQ Revision:

05d

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

BASA The Bilateral Aviation Safety Agreement (BASA) is an executive agreement

concluded between the United States and a foreign country for the purpose

of promoting aviation safety; also known as an Agreement for the

Promotion of Aviation Safety.

Certificate Holder In these operations specifications, the term "certificate holder" means the

holder of the repair station certificate described in these operations

specifications in Part A paragraph A001 and any of its officers, employees,

or agents used in the conduct of operations under this certificate.

Civil Aviation Authority of Singapore

CAAS

CFR Code of Federal Regulations

Class Rating As used with respect to the certification, ratings, privileges of airframes,

powerplants, propellers, radios, instruments, and accessories within a

category having similar operating characteristics.

EASA European Aviation Safety Agency

EASA Accountable

Manager

The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard

required by the EASA full-member Authority.

EU

European Union

Exemption An authorization that permits an alternate means of compliance with a

specific CFR. The exemption must meet the procedural requirements of 14

CFR Part 11.

FOCA Federal Office of Civil Aviation

FAA Accountable

Manager

Inc.

A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under

14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

Tennessee Aircraft Company,

A002-1 Amdt. No: 6

| U.S. Department |
|-------------------|
| of Transportation |
| Federal Aviation |
| Administration |

Operations Specifications

Geographic Authorization

Authorization provided to a repair station located outside the United States to perform maintenance support under contract for a U.S. air carrier (or an operator of U.S.- registered aircraft under 14 CFR Part 129) at a location other than the repair station's main facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.

Limited Rating

A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.

Limited Ratings -**Specialized Services**

Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.

Line Maintenance

Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.

MAG

The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the EASA Agreement, Annex 2, Maintenance. The term Maintenance Agreement Guidance (MAG) defines the processes and activities applicable to a specific country under an MIP, and is not associated with the EASA Agreement.

Maintenance

The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.

U.S./EU Aviation Safety Agreement, Annex 2, Maintenance

Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.

MIP

Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance performed under 14 CFR Part 145, Section 145.53(b).

MOE

A maintenance organization exposition (MOE) pertains to procedural manuals used by maintenance organizations certificated by a foreign country. The MOE along with the FAA Supplement, sets forth the structure and procedures of the repair station to meet the requirements of 14 CFR Part 145 under a MIP.

Preventive Maintenance As defined in 14 CFR part 1 and part 43 appendix A,

subparagraph (c).

Tennessee Aircraft Company, Inc.

A002-2 Amdt. No: 6

Operations Specifications

QCM

Quality Control Manual

Repair Station located in the United States

A FAA certificated repair station located in the United States.

Repair Station located outside the United States

A FAA certificated repair station located outside of the United States.

RSM

Repair Station Manual

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Griswold, Jon, Principal Maintenance Inspector (CE19)

[1] SUPPORT INFO: OpSpec Templet update

[2] EFFECTIVE DATE: 8/21/2025,

[3] AMENDMENT #: 6

DATE: 2025.08.21 08:27:11 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Curt Ramon, General Manager

Date

8.21.25

Tennessee Aircraft Company, Inc.

A002-3 Amdt. No: 6

Operations Specifications

A003. Ratings and Limitations

HO Control: 04/03/2017

HQ Revision:

01a

The certificate holder is authorized the following Ratings and/or Limitations:

Class Ratings

None Authorized

Limited Ratings

Rating Manufacturer Make/Model

Accessories Garrett/Honeywell Garrett/Honeywell Manifold and Nozzle Assembly part numbers - 868914, 869544, 893468, 893469, 3101592, 3102111, 3102473, 3102474, 3102475. Garrett/Honeywell Duplex Nozzles Assembly Part Numbers - 3103235-3, 3103235-8, 3103235-9, 3103235-10, 3103235-11, 3103235-12. Garrett/Honeywell Fuel Nozzle Tip Part numbers-868242-1, 868752-1

Accessories Pratt & Whitney

Pratt & Whitney complete Fuel Manifolds as listed in ATA code 73-10-05. Fuel Nozzle Assembly of complete fuel manifolds, Part Numbers - 3006729, 3008355, 3010036, 3010870, 3013635, 3017957, and all components Maintenance and of these 3019424, 3031429, 3031430, 3031971, 3033491, 3033492, 3034891, 3034892, 3034893. Fuel Manifold Inlet complete fuel Adapter Assembly Part Numbers - 3011098, 30011099, 3014703, 3017954, 3019426, 3019754, 3019757, 3100453-01, 3100453-03, 3106345-01, 3106348-01, 3077781-01, 3116307-01, 3115524-01, 3119856-01. Primary Fuel Manifold Adapter Assembly Part Numbers - 3014704, 3017955, 3019536, 3100456-01, 3100456-03, 3106347-01. Secondary Fuel Manifold Adapter Assembly Part Numbers - 3014705, 3017956, 3019537, 3100458-01, 3100458-03, 3106346-01. Fuel Manifold Adapter Assembly Part Numbers - 3077780-01, 3115526-01, 3119855-01. Fuel Nozzle Tip Part Numbers- 3038495, 3077463-01. Fuel Nozzle Sheath Part Numbers - 3007178, 3007179, 3019491, 3024125, 3024126, 3029243, 3102233-01, 3102233-02, 3102911-01, 3119919-01, 3119920-01,

Limitations

Limited to the Maintenance. Preventative Maintenance and Alterations of complete fuel manifold and nozzle assemblies, manifold assemblies, fuel nozzle assemblies, and components of these assemblies.

Limited to the Maintenance, Preventative Alterations of manifold and nozzle assemblies, manifold assemblies, fuel nozzle assemblies, and components of these assemblies.

Operations Specifications

Rating Manufacturer Make/Model Limitations

3120869-01, 3079229-01. Fuel Manifold Installation Transfer Tube Part Numbers - 3005337, 3010146, 3011155, 3014713.

Accessories Allied Signal/Honeywell

Allied Signal/Honeywell Fuel Nozzle assemblies, specifically to part numbers 3610004-1-2-3-4-5-6 to include Allied Signal/Honeywell Fuel nozzle tips specifically, part number 3601520-2-6-7-8.

Limited to the Maintenance. Preventative Maintenance and Alterations of complete fuel manifold and nozzle assemblies. manifold assemblies, fuel nozzle assemblies, and components of these assemblies.

Limited Ratings - Specialized Services

Rating **Specifications** Limitations

Welding and and bodies.

Welding and

and bodies.

P/N 3103150-1, Shroud (TPE 331-8-Machining - Garrett 401S/404S engines). All work for this fuel nozzle shrouds model shall be performed in accordance with FAA DER-Approved repair procedure 94-122, dated 08/17/94.

P/N 3102954-2, Body (TPE 331-8-Machining - Garrett 401S/404S) engines. All work for this fuel nozzle shrouds model shall be performed in accordance with FAA DER-Approved repair

procedure 94-125, dated 08/22/94.

Use the methods, techniques, and practices prescribed in the current FAA approved manufacturer's maintenance manual or Instructions for Continued Airworthiness, or other FAA approved technical data.

Use the methods, techniques, and practices prescribed in the current FAA approved manufacturer's maintenance manual or Instructions for Continued Airworthiness, or other FAA approved technical data.

Welding and and housings.

P/N 3103190-7, -8 Shroud (TPE331-10, -11, Use the methods, techniques, and practices Machining - Garrett -12) engines. All work for this model shall prescribed in the current manufacturers fuel nozzle shrouds be performed in accordance with FAA DER-Approved repair procedure TA-200, dated 11/17/03.

maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.

Welding and and housings.

Machining - Garrett 12) engines. All work for this model shall fuel nozzle shrouds be performed in accordance with FAA DER-Approved repair procedure TA-300, dated 11/17/03.

P/N 3103236-1 Housing (TPE331-10, -11, - Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.

Welding and

Machining - Garrett 12) engines. All work for this model shall prescribed in the current manufacturers fuel nozzle shrouds be performed in accordance with FAA

P/N 3103236-1 Housing (TPE331-10, -11, - Use the methods, techniques, and practices maintenance manual or Instructions for

Operations Specifications

Rating

Specifications

Limitations

and housings.

DER-Approved repair procedure TA-400, Continued Airworthiness, or other methods, dated 01/07/04.

techniques, and practices acceptable to the

Administrator.

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Robert I. Mullins, Principal Avionics Inspector (CE19) [1] EFFECTIVE DATE: 10/11/2024, [2] AMENDMENT #: 9 DATE: 2024.10.11 07:39:38 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Curt Ramon, General Manager

8.21.25

Date

Operations Specifications

A004. Summary of Special Authorizations and Limitations HQ Control: 09/23/1998

HQ Revision:

010

a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

Reference Paragraphs

Perform safety-sensitive functions requiring a drug and alcohol testing program under 14 CFR part 120

A449

b. The certificate holder is not authorized and shall not:

| | Reference Paragraphs |
|---|-------------------------|
| Use Exemptions. | A005 |
| Use an acceptable electronic recordkeeping system, electronic/digital signature, and/or electronic media. | A025 |
| Perform maintenance with ratings for repair stations located outside the United States under a Bilateral Aviation Safety Agreement with Maintenance Provisions. | A060 |
| Perform work, including continuous operations, at additional locations other than at its primary fixed location. | A101 |
| Perform maintenance in accordance with foreign repair station geographic authorizations. | B050 |
| Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location. | D100 |
| Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating non-U.Sregistered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station. | D107 |

Tennessee Aircraft Company, Inc.

Operations Specifications

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Griswold, Jon, Principal Maintenance Inspector (CE19)

[1] SUPPORT INFO: Updated GM Name

[2] EFFECTIVE DATE: 8/21/2025,

[3] AMENDMENT #: 4

DATE: 2025.08.21 10:00:50 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Curt Ramon, General Manager

8.21.25

Date

Tennessee Aircraft Company, Inc.

A004-2 Amdt. No: 4

Operations Specifications

A007. Designated Persons

HQ Control: 09/08/2021 HQ Revision: 03a

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 - Designated Persons to Apply for and Receive Authorizations

| Title | Name | Parts Authorized | Email Address |
|-----------------|-------------|------------------|-------------------------|
| General Manager | Ramon, Curt | A,D | curtramon@tennairco.com |

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (InFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 - Designated to Receive InFO Messages

| Name | Email Address | Telephone No. | Type of Information to Receive |
|----------------|----------------------------|---------------|--------------------------------|
| Ramon, Curt | curtramon@tennairco.com | 615-758-5005 | ALL |
| Brumbach, Gary | garybrumbach@tennairco.com | 615-758-5005 | ALL |

Operations Specifications

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Griswold, Jon, Principal Maintenance Inspector (CE19)

[1] SUPPORT INFO: Updated Personnel to Receive InFO

Messages

[2] EFFECTIVE DATE: 8/21/2025,

[3] AMENDMENT #: 6

DATE: 2025.08.21 10:02:32 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Curt Ramon, General Manager

Date

8.21.25

Tennessee Aircraft Company, Inc.

A007-2 Amdt. No: 6

Operations Specifications

A449. Drug and Alcohol Testing Program

HQ Control: 08/30/2021

HQ Revision:

00b

- a. The 14 CFR Part 145 repair station certificate holder has implemented a drug and alcohol testing program because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, 121/135, and/or 135 certificate holder, and/or for a 14 CFR Part 91 operator conducting operations under § 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its drug and alcohol testing program.
- c. Drug and alcohol testing program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

Table 1

| Location & Telephone of Drug and Alcohol Testing Program Records | | |
|--|-------------------|--|
| Telephone Number: | A1 615-758-5005 | |
| Address: | 5005 Market Place | |
| Address: | | |
| City: | Mt. Juliet | |
| State: | TN | |
| Zip code: | 37122 | |

d. Limitations and Provisions.

- (1) The FAA's Drug Abatement Division is responsible for oversight and enforcement of the DOT/FAA-mandated drug and alcohol testing program. Questions regarding the program requirements or regulations must be directed to the Drug Abatement Division at 202-267-8442 or drugabatement@faa.gov.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
- (a) Phone number and address where the drug and alcohol testing program records are kept.
- (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
 - (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function

Operations Specifications

on January 1 of any calendar year must submit an annual report upon request of the Administrator.

- e. The certificate holder has fewer than 50 safety-sensitive employees.
- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.

Digitally signed by Rocky Davidson, Principal Maintenance Inspector (CE19) [1] EFFECTIVE DATE: 3/14/2024, [2] AMENDMENT #: 4 DATE: 2024.03.14 06:57:49 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Curt Ramon, General Manager

Date

8.21.25